

## HEMS v1.2.x HW selection table

### KIT

name	description	code	status	mounting
<a href="#">HEMS set 1P</a>	HEMS starter kit, single phase	HEMS-1P-D-02	available	Cabinet; DIN rail 6+1 M
<a href="#">HEMS set 1P</a>	HEMS starter kit, EnOcean, single phase	HEMS-1P-D-01	available	Cabinet; DIN rail 6+1 M
<a href="#">HEMS set 3P</a>	HEMS starter kit, three phase	HEMS-3P-D-02	available	Cabinet; DIN rail 6+4 M
<a href="#">HEMS set 3P</a>	HEMS starter kit, EnOcean, three phase	HEMS-3P-D-01	available	Cabinet; DIN rail 6+4 M

### HIQ controllers

name	description	code	status	mounting
<a href="#">Master Controller</a>	230 VAC, 11 IO, EnOcean, 2 × RS232, RS485, IEX2 terminals	MC-230-01	available	Cabinet; DIN rail 6 M

### HIQ linkers

name	description	code	status	mounting
<a href="#">IOT Linker 2 Ethernet Port</a>	Central high function linker (HIQ Universe)	IOT-L2-2	available	DIN rail, wall
<a href="#">4G LTE USB modem for IOT linker</a>	USB wireless modem for IOT linker	IOT-L2-W	available	USB port on IOT-L2-2 linker

### Accessories

name	description	code	status	mounting
<a href="#">Temperature sensor</a>	Steel tube housing IP 67, 5m wire	ES-B-IQ	available	
<a href="#">Temperature sensor</a>	white housing, terminals	ES-W-OW-WHITE	available	In-field; on wall
<a href="#">Temperature sensor</a>	ivory housing, terminals	ES-W-OW-IVORY	available	In-field; on wall

<b>name</b>	<b>description</b>	<b>code</b>	<b>status</b>	<b>mounting</b>
<a href="#">Wireless Modbus-to-Modbus bridge</a>	Wireless Modbus-to-Modbus bridge	WM-1	available	Cabinet, In-field
<a href="#">Temperature and Humidity Sensor</a>	Temperature and Humidity Sensor	RB-100-TH	coming	wall

## Power sensors

<b>name</b>	<b>description</b>	<b>code</b>	<b>status</b>	<b>mounting</b>
<a href="#">Single phase power-sensor</a>	1-phase power sensor, DIN rail	PM1-E-D	available	Cabinet; DIN rail 1 M
<a href="#">Single phase power-sensor, CT</a>	1-phase power sensor, DIN rail, CT	PM1-E-D-CT	available	Cabinet; DIN rail 1 M
<a href="#">Three phase power-sensor</a>	3-phase power sensor, DIN rail	PM3-I-D	available	Cabinet; DIN rail 3 M
<a href="#">Three phase power sensor, CT</a>	3-phase power sensor, DIN rail, CT	PM3-E-D-CT	available	Cabinet; DIN rail 4 M
<a href="#">1-ph current transformer</a>	1-phase split core current transformer, 50A	CT-1-E-50	available	on wire
<a href="#">3-ph current transformer</a>	3-phase split core current transformer, 50-400A	CT-3-E-XX	available	on wire

## EnOcean

<b>name</b>	<b>description</b>	<b>code</b>	<b>status</b>	<b>mounting</b>
<a href="#">Smart plug</a>	EnOcean wireless smart plug, Schuko	SC0-WE-F	available	In-field; power outlet
<a href="#">Smart plug</a>	EnOcean wireless smart plug with metering, Schuko	SCM-WE-F	available	In-field; power outlet
<a href="#">Micro smart plug</a>	EnOcean wireless micro smart plug, Schuko	SMM-WE-F	available	In-field; power outlet
<a href="#">Temperature sensor</a>	EnOcean wireless temperature sensor	TS-WE-W1	request	In-field; on wall
<a href="#">Temperature and humidity sensor</a>	EnOcean wireless temperature and humidity sensor	TSH-WE-W1	request	In-field; on wall
<a href="#">Relay Switch</a>	EnOcean wireless relay switch, 1 channel	RS1-WE-F1	request	In-field; flush box
<a href="#">Relay Switch</a>	EnOcean wireless relay switch, 2 channels	RS2-WE-F2	request	In-field; flush box