HEMS G2 wiring

MC-230



PM3-I-D


OUT 230 V~
PM3 > 16 / MC > A
PM3 > 15 / MC > B
Power-sensors communication bus
3
6
16
9
11
L1o
L2o
L3o
No
L1i
L2i
L3i
Ni
1
4
15
7
10
IN 230 V~

PM1-E-D


PM1 > 10 / MC > B
PM1 > 9 / MC > A
Power-sensors communication bus
PM1-E-D-CT
IN 230 V~
OUT 230 V~

PM1-E-D-CT


PM1 > 10 / MC > B
PM1 > 9 / MC > A
Power-sensors communication bus
Power supply 230 V~
PM1-E-D-CT
IN 230 V~
OUT 230 V~

PM3-E-D-CT


PM3 > 13 / MC > B
PM3 > 14 / MC > A
Power-sensors communication bus
PM3-E-D-CT
HIQ
OUT 230 V~
Power supply 230 V~
N
L1
L2
L3
IN 230 V~
L1
L2
L3
N

Power-sensors orientation



From:
http://wiki.hiq-universe.com/ -

Permanent link:
http://wiki.hiq-universe.com/doku.php?id=en:hems:methods_resources:wiring&rev=1593690850

Last update: **2020/07/02 11:54**