HIQ UNIVERSE

HIQ Universe is a cloud service that enables:

- An overview of current power consumption
- An overview of the history of electrical power and energy consumption and production
- An overview and control of connected devices

Access point: https://my.hiq-universe.com

HIQ Universe Log-in

HIQ Universe Smart spaces	× +		- 🗆 ×
← → ♂ ŵ	☑ ▲ https://my.hiq-universe.com/rs/sa/login/index	⊘ ☆	2 III\ 🗉 📽 😗 😑
	តិ-		
	Smart spaces		
	Username or email		
	Password		
	Password		
	Stay signed in		
	Sign in		
	Forgot your password?		
	Create new account		
	Terms, Privacy		

Log in with your username or email and password to see your HIQ Universe subscription dashboard.

To reset forgotten password click on "Forgot your password?"

To create new account click on "Create new account".

Create HIQ Universe account

HIQ Universe Create new account	+			-		×
\leftarrow \rightarrow C $\textcircled{0}$	A https://my.hiq-universe.com/rs/sa/register/index	🖂 🛧	III\ C		0	≡
	ČF					^
	Create new account					
	Choose your username					
	Your first name and last name					
	Email address					
	UTC+2:00 Africa/Blantyre					
	Create a password					
	Confirm your password					
	I'm not a robot					
	Accept Terms and Conditions					

In the appropriate fields, enter:

- Username
- First and Last name
- E-mail address
- Timezone
- Password

Click on "I'm not a robot"

Accept Terms and Conditions.

Click on Create account.

A confirmation link will be sent to your email address.

Proceed to "HIQ Universe Log-in" screen.

Reset forgotten password



In the appropriate field, enter email address.

Click on "I'm not a robot"

Click on "Reset password".

You will receive email with password reset link.

HIQ Universe Reset password	×	+				-	C	ı ×
-> C 🛈	Ū	https://my.hiq-universe.com/rs/sa/resetpassword/index	▽ ☆	⊻	111	•	٢	; ≡
		<u> </u>						
		N						
		Reset password						
		·						
		New password						
		Repeat password						
		Save new password						

Enter new password and click on "Save new password".

Proceed to "HIQ Universe Log-in" screen.

Add HEMS controller



Enter HEMS activation code from "HEMS Quick Set-Up Guide" found in HEMS box.

user r	lame
email	
passv	Rord
	ACTIVATION CODE SN-0012345A-85212FC25-685D-BEBE

HIQ Universe subscription dashboard

Last update: 2021/03/31 12:50 en:hems_v1_2_0:universe http://wiki.hiq-universe.com/doku.php?id=en:hems_v1_2_0:universe&rev=1617195054



You will see tiles for all your subscribed HIQ Universe devices and services.

Go to Main HEMS view by clicking on HEMS tile or

add new HEMS device by clicking on blank tile with + sign.

"User profile set-up" is invoked by clicking on user name on top right.

Main HEMS view



Main HEMS page consists of 3 sections:

- "Title and view selection row" at the top
- "Power flow chart" on left side
- "Power and energy time-plot" on right

Title and view selection row

Hems 1.2.0	4 8	Daily	Monthly	Yearly	۲	$\langle \rangle$	2021/03/30	\sim	[↓]	09:18

From the left:

- Application name → HEMS name
- Lighting icon → time-plot displays energy or power
- Currency icon → time-plot overlays currency graph
- Daily → time-plot displays power
- **Monthly** → time-plot displays energy per day
- Yearly → time-plot displays energy par month
- **Target icon** → time-plot go to now
- < \rightarrow time-plot goes to previous term
- > \rightarrow time-plot goes to next term
- Date → Select term for time-plot

- **Download icon** → Download "csv" data for displayed time-plot period
- Location of HEMS installation
- Time at HEMS installation site.

Power flow chart



Displays actual power flow with:

- Power sources (Local PV, wind, co-generation plants) at top
- Grid (divided by tariffs) on left side
- Storage (battery) systems on right side and
- **Consumers** on bottom.

Unused items are soft greyed out with X. Items without actual power are displayed as dots. Clicking on a devices displays current power flow for selected device.



On bottom is time-plot for selected time period (in title row). By clicking on time plot a term for legend display is selected. Above there is power/energy legend.

Side menu





Side menu is activated by clicking menu icon (tree vertical lines at top-left). Menu items are dynamic created so can be different for each user. Typical menu items from top:

- Home page → section with all your subscribed HIQ Universe devices and services
 - Hems 1.2.0 → "Main HEMS view"
 - Settings page → "HEMS settings"
 - My Things → "My Things"
- **TOOLS** → section with general site tools
 - Profile \rightarrow "User profile set-up"
 - Reports→ "System reports"
 - \circ Sign out \rightarrow Log off from HIQ Universe

HEMS settings

HIQ Universe Settings	s page 🛛 🗙	+				—			×
< → ♂ @ 0	A https://my	y.hiq-univers	70%	•••	$\mathbf{\overline{v}}$	111	∎	»	≡
≡			√_						^
Settings page									
Device									
HEMS-SN-0042FE-c30567- Dorniz-Wiki									
MC serial number	?								
Device name	Hems 1.2.0								
Location			_						
Location name									
Location latitude			ī —						
Location longitude			1						
Time Zone	UTC+2:00 Europe	/Ljubljana 🗸 🗸	·						
Energy price									
_	_		-						
Currency	Euro	\sim							
Low tariff price (€/kWh)		0.122	1						
High tariff price (€/kWh)		0.122							
Feed-in tariff price (€/kWh)		0.122							

Basic settings and info about HEMS.

Sections:

- Settings:
 - Device serial number
 - Device name
 - Location name and coordinates, timezone
- Energy price: per tariff energy price
- Timeplots range: ranges for various timeplots
- Share your device: manage device sharing guest accounts

My Things

HIQ Universe My Thi	ngs	× +					- 0	×
(←) → 健 @	0	https://my.hiq-universe.	com/rs/pp/1	683/iot_hems2_ 60%		☆ ⊻ แ\	E 🜒 😨	≡
						Ŵ	-	^
My things -								
Consumers								^
Poraba pritličje	>	1. nadstropje	>	Mansarda	>	TČ ogrevanje	>	
Power:	181 W	Power:	27 W	Power:	325 W	Power:	ow	
Settings	~	Settings	~	Settings	~	Settings	~	
History	~	History	~	History	~	History	~	
TČ sanitarna	>	Kuhinja	>	Pečica	>	Polnilnica	A >	
Power:	135 W	O Power:	o w	power:	ow	State: Phases: Power: EVSE max: Last cession: Energy:	Available 3 phases 0 W 20 A 20 P A 0 h 0 min 0 Wh	
Settings	~	Settings	~	Settings	~	Settings	~	
History	~	History	~	History	~	History	~	
Production and grid								^
PV	>	Grid	>					
Power:	7728 W	Voltage L2: Voltage L2: Voltage L3: Frequency: Tariff: Current L1: Current L2: Current L3:	225 V 226 V 230 V 50.02 Hz LO -11.8 A -11.8 A -11.3 A					
		Settings	~					
History	~	History	*					
Storage								^
Sensors								^

My Things GUI could be accessed within the HiQ Universe platform by clicking the My Things item within the main menu. Individual devices are presented as a group of cards, divided on four groups:

- Consumers
 - $\circ~$ Up to 8 consumers
 - On/Off control
 - $\circ\,$ Overview of energy and status
 - Settings:
 - Manual override (Minute countdown of manual control until cloud can perform optimizations again)
 - Cloud optimizations with timetable
 - Current limiter with priorities
 - History:

- Power overview
- Production and grid
 - Overview of grid and up to 3 other energy sources
- Storage
 - Overview of up to 2 battery sources
- Sensors
 - $\circ\,$ Supported for temperature and humidity sensor

Consumers

Consumers present devices, that consume electric energy. Within the group of Consumers, the first card present a general consumption of the object - a background consumption. The following

Manual over	ride:		0
	Smart g	rid -	
Cloud optim	ization:		\checkmark
Smart grid s	tatus:		Idle
Enabled:		from:	0 ~: 0 ~
		to:	0 ~: 0 ~
Max duration	n:		15 🗸 min
Max request		Ĺ	1 ~
Suspend tim		L	-
Suspend tim			15 🗡 min
Limiter prior	Current li	miter	
Limiter prior	ity:		limit first 🗠 min
History			^
Span	Date		
Day 🗸 🗸	2021/03/31		
1.0			
1.0			Phase L1: 0 W A Phase L2: 0 W
0.5			Phase L1: 0 W A Phase L2: 0 W Phase L3: 0 W
			Phase L1: 0 W 🔺 Phase L2: 0 W
			Phase L1: 0 W A Phase L2: 0 W Phase L3: 0 W
0.5			Phase L1: 0 W A Phase L2: 0 W Phase L3: 0 W
0.5			Phase L1: 0 W A Phase L2: 0 W Phase L3: 0 W
0.5			Phase L1: 0 W A Phase L2: 0 W Phase L3: 0 W

Δ >

Polnilnica

Settings

	a	
	State:	Available
	Phases:	3 phases
\sim	Power:	0 W 0
\sim	EVSE max:	20 A
	Max current:	20 🖨 🗛
	Last session:	0 h 0 min
	Energy:	0 Wh

items present real controllable devices, such as EV charger, Heat pump, wireless socket, etc. An example of a device is shown in the following image.

The form of a card of each consumer is composed of the general part, history and settings part.

General part contains:

- Name of a device, which can be changed by user.
- Icon (button) enables toggling the device operation state (Switch on / Switch off).
- **State** label contain the information of device operation state.
- **Phases** label contain the information of EV utilized phases.
- **Power** label contain the information of device consumption power in watts.
- EVSE max label contains EVSE max charging current,
- Max current label is user desired max charging current, which can be changed by user.
- Last session label contains the information of charging duration and energy.

Settings:

- **Manual override** presents the time in minutes. When the user switches on the device, the device will automatically turn off after manual override minutes.
- Cloud optimization enables or disables smart grid service.
- Smart grid status label shows smart grid operation state with the following states:
- **Enabled** section specify the temporal range between **from** and **to** in the form of *hh:mm*, in which the device is allowed to be switched off from according to the smart-grid service. If **from** is larger than **to**, then temporal range is the opposite. If **from** and **to** are equal, then the smart-grid service is enabled 24 hours a day.
- **Max duration** setting limits the duration of time, the smart-grid service switches off (activates) the device. After smart-grid service activates the device, the device will deactivate (switch back on) after max-duration minutes at the latest.
- **Max request** setting limits the maximum daily activations from the smart-grid service.
- **Suspend time** presents the time in minutes, which has to pass between two activations (between the stop of one activation and start of another).
- Limiter priority setting can be no limiter, limit last, limit second and limit first. If DCL is enabled and inactive a green warning icon is displayed on the card. If DCL is active the icon turns yellow and if DCL is disabled there is no icon on the card. Limit first is a group of devices that are dynamically regulated first if the main grid current is over the preset threshold. If main grid current is still over the preset threshold, regulating other groups will follow with limit second and after that with limit last.

History:

• **History** part shows historical consumption of a device. The temporal range can be selected as daily, weekly, monthly or yearly. Daily and weekly range shows power consumption in watts, while monthly and yearly range shows energy consumption in kilowatt-hours. The interface enables time-frame selection and time-frame alignment to current time.

Production and grid



Producers present devices or systems that produce electrical energy. Example of such devices are solar power plant, wind power plant, diesel generator and others. An example on the following figure shows solar power plant.

General part contains:

- Name of a plant, which can be changed by user.
- Icon represent the type of producer.
- Voltage represents voltage of the grid.
- Frequency represents frequency of the grid.
- Tariff represents active tariff of the grid.

- **Current** represents current of the grid.
- **Power** label contain the information of device production power in watts.

History:

• **History** part shows historical production of a device. The temporal range can be selected as daily, weekly, monthly or yearly. Daily and weekly range shows power production in watts, while monthly and yearly range shows energy production in kilowatt-hours. The interface enables time-frame selection and time-frame alignment to current time. Grid has additional current history.

Storage



Storage present battery as shown in an example figure on the left.

General part contains:

- Name of a battery, given by the user.
- **Icon** representing the battery.
- **Power** label contain the information of charging or discharging power in watts.

History:

• **History** part shows historical charging or discharging power of a device. The temporal range can be selected as daily, weekly, monthly or yearly. Daily and weekly range shows power charging or discharging in watts, while monthly and yearly range shows energy charged or discharged in kilowatt-hours. The interface enables time-frame selection and time-frame alignment to current time.

Sensors



Sensors present devices or systems that measure various quantities, such as temperature, humidity. The left figure represent a combined temperature and humidity sensor.

General part contains:

- Name of a sensor, which can be changed by user.
- **Icon** represent the type of sensor.
- Temperature label contain the information of temperature measurement in °C.
- Humidity label contain the information of relative humidity in %.

History:

• **History** part shows historical sensor measurements. The temporal range can be selected as daily, weekly, monthly or yearly. The interface enables time-frame selection and time-frame alignment to current time.

User profile set-up

HIQ Universe Pro	file	× +							—		×
← → ⊂ ŵ	0	https://my.hiq-	universe.com/rs	/s: 🗐 🧐	0% •••	• ⊠ ☆	$\overline{\mathbf{h}}$	III\ 🗉) (2)	0	≡
\equiv					Ŵ						
Basic informat	ion										
Username Created Previous login Last login Last password chan Use language	ge	English		~							
Profile											
Main realm Full name Email address Timezone Save change	25	UTC+0:00 W	ET	~							
Password Old password New password Repeat password											
Change passw	ord										
Persistent logi		Last login	From IP	Delete							

Basic information section:

- Username
- Created date and IP
- Previous and last login date and IP
- Last password change date and IP
- User language

Profile section:

- Main realm display
- Full name, email address and timezone edit fields

Password:

• Fields for password changing

Persistent logins:

• Data of access from persistent logins

System Reports



- http://wiki.hiq-universe.com/

System generated reports can be found here.

From: http://wiki.hiq-universe.com/ -

Permanent link: http://wiki.hiq-universe.com/doku.php?id=en:hems_v1_2_0:universe&rev=1617195054



Last update: 2021/03/31 12:50