

# HIQ HW selection table

## HIQ Kits

| name                         | description                             | code         | status    | used in |
|------------------------------|---|--------------|-----------|---------|
| <a href="#">HEMS set 1P</a>  | HEMS starter kit, single phase          | HEMS-1P-D-02 | available | HEMS    |
| <a href="#">HEMS set 1P</a>  | HEMS starter kit, EnOcean, single phase | HEMS-1P-D-01 | available | HEMS    |
| <a href="#">HEMS set 3P</a>  | HEMS starter kit, three phase           | HEMS-3P-D-02 | available | HEMS    |
| <a href="#">HEMS set 3P</a>  | HEMS starter kit, EnOcean, three phase  | HEMS-3P-D-01 | available | HEMS    |
| <a href="#">HIQ Home set</a> | HIQ Home starter kit                    | HIQ-HOME     | request   | Home    |

## HIQ controllers & IEX Modules

| name                                      | description  | code         | status    | used in                  |
|---|--|--------------|-----------|--------------------------|
| <a href="#">Master Controller</a>         | 230 VAC, 11 IO, EnOcean, 2 × RS232, RS485, IEX2 terminals          | MC-230-01    | available | access, GRMS, HEMS, Home |
| <a href="#">Master Controller</a>         | 230 VAC, 11 IO, 2 × RS232, RS485, IEX2 terminals                   | MC-230-02    | available | access, GRMS             |
| <a href="#">Master Controller</a>         | 230 VAC, 11 IO, EnOcean, 2 × RS232, isolated RS485, IEX2 terminals | MC-230-03    | coming    | -                        |
| <a href="#">Master Controller</a>         | 230 VAC, 11 IO, 2 × RS232, isolated RS485, IEX2 terminals          | MC-230-04    | coming    | -                        |
| <a href="#">Master Controller</a>         | 230 VAC, 14 IO, RS485, 2 Wiegand                                   | MC-230-W     | request   | access, GRMS             |
| <a href="#">Master Controller</a>         | 24 VDC, 11 IO, EnOcean, 2 × RS232, RS485, IEX2 terminals           | MC-24-01     | coming    | Home                     |
| <a href="#">Master Controller</a>         | 24 VDC, 11 IO, 2 × RS232, RS485, IEX2 terminals                    | MC-24-02     | coming    | -                        |
| <a href="#">Master Controller</a>         | 24 VDC, 11 IO, EnOcean, 2 × RS232, isolated RS485, IEX2 terminals  | MC-24-03     | coming    | -                        |
| <a href="#">Master Controller</a>         | 24 VDC, 11 IO, 2 × RS232, isolated RS485, IEX2 terminals           | MC-24-04     | coming    | -                        |
| <a href="#">Master Controller</a>         | 24 VDC, 26 IO, 2 × RS232,  | MC-24-05     | available | Home                     |
| <a href="#">Master Controller</a>         | 24 VDC, 26 IO, 2 × RS232, EnOcean                                  | MC-24-06     | coming    | -                        |
| <a href="#">HIQ controller</a>            | 24 VDC, 23 IO, 2 × RS232   | HC-IQ        | available | GRMS, Home               |
| <a href="#">OP-8 Touch operator panel</a> | IEX-2 module, touch operator panel                                 | OP-8         | available | Home                     |
| <a href="#">Light controller</a>          | 10 high power relay-controlled outputs                             | LC-10-IQ mk1 | EOL       | Home                     |
| <a href="#">Light controller</a>          | 10 high power relay-controlled outputs                             | LC-10-IQ mk2 | available | Home                     |
| <a href="#">LED stripe dimmer</a>         | 4 channel 12/24V constant voltage LED dimmer                       | LD-V4-IQ     | available | Home                     |
| <a href="#">Light controller</a>          | 8 relay outputs with parallel option                               | LC-8-IQ      | available | -                        |
| <a href="#">Light dimmers driver</a>      | 4 channel universal lights dimmer                                  | LD-P4-IQ     | available | Home                     |
| <a href="#">DALI dimmer</a>               | 8 DALI groups dimmer   | LD-D8-IQ     | available | Home                     |

| name                                  | description   | code     | status    | used in      |
|---------------------------------------|---|----------|-----------|--------------|
| <a href="#">Blinds controller</a>     | 5 blinds position controller                          | BC-5-IQ  | available | Home         |
| <a href="#">Blinds controller</a>     | Single blinds controller                              | BC-1-IQ  | available | GRMS         |
| <a href="#">Scene Touch Panel</a>     | touch 4 scene controller                              | SC-4T-IQ | available | GRMS, Home   |
| <a href="#">Scene controller</a>      | 4 scene controller, using various brands push buttons | SC-4S-IQ | available | GRMS, Home   |
| <a href="#">Touch thermostat</a>      | Touch room thermostat                                 | TH-1T-IQ | available | GRMS, Home   |
| <a href="#">Electronic thermostat</a> | Electronic room thermostat                            | TH-1M-IQ | available | Home         |
| <a href="#">Blind thermostat</a>      | Blind room thermostat                                 | TH-2-IQ  | available | Home         |
| <a href="#">Fan-coil controller</a>   | 3 speed fan and valves controller                     | FC-1-IQ  | available | GRMS, Home   |
| <a href="#">GRMS expansion module</a> | 10 DI, 10 relay DO expansion                          | HR-EX-IQ | request   | GRMS         |
| <a href="#">GRMS expansion module</a> | 12 DI + 6 DI/DO + 6 D/AI expansion                    | HR-PB-IQ | request   | GRMS         |
| <a href="#">Card reader interface</a> | 2 channel card reader module, 2x output, 4x input     | CR-W2-IQ | available | access, GRMS |
| <a href="#">RDX Charger</a>           | Charger for electric vehicles                         | RDX-RF   | available |              |
| <a href="#">RDX Charger</a>           | Robotina Dynamic Charger                              | RDX-RF   | available | RDX          |

## Linkers

| name  | description                                 | code     | status    | used in |
|---|---|----------|-----------|---------|
| <a href="#">Home Linker</a>                     | Central high function linker (HIQ-Universe) | HL-HIQ-D | available | -       |
| <a href="#">Azure Linker</a>                    | Central high function linker (MS-Azure)     | HL-AZU-D | request   | -       |
| <a href="#">IOT Linker 2 Ethernet Port</a>      | Central high function linker (HIQ Universe) | IOT-L2-2 | available | HEMS    |
| <a href="#">4G LTE USB modem for IOT linker</a> | USB wireless modem for IOT linker           | IOT-L2-W | available | HEMS    |
| <a href="#">IOT Linker 2 Ethernet Port</a>      | Central high function linker (HIQ Universe) | IOT-L2-2 | available | RDX     |
| <a href="#">4G LTE USB modem for IOT linker</a> | USB wireless modem for IOT linker           | IOT-L2-W | available | RDX     |

## HI-bus modules

| name                                | description  | code     | status    | used in |
|-------------------------------------|--|----------|-----------|---------|
| <a href="#">Touch thermostat</a>    | Touch room thermostat, black                                     | TH-HI    | available | GRMS    |
| <a href="#">Key-card holder</a>     | Key-card holder, black   | KH-HI    | available | GRMS    |
| <a href="#">Touch buttons</a>       | 2 touch buttons, black   | B2-HI-01 | available | GRMS    |
| <a href="#">Touch buttons</a>       | 2 touch buttons, white   | B2-HI-02 | available | GRMS    |
| <a href="#">Touch buttons</a>       | 4 touch buttons, black   | B4-HI-01 | available | GRMS    |
| <a href="#">Touch buttons</a>       | 4 touch buttons, white   | B4-HI-02 | available | GRMS    |
| <a href="#">Touch buttons</a>       | 6 touch buttons, black   | B6-HI-01 | available | GRMS    |
| <a href="#">Touch buttons</a>       | 6 touch buttons, white   | B6-HI-02 | available | GRMS    |
| <a href="#">Room info panel</a>     | DND and MUR touch buttons, black                                 | IP-HI    | available | GRMS    |
| <a href="#">Corridor info panel</a> | Room number, DND and MUR indicator, doorbell touch button, black | CP-HI    | available | GRMS    |

| name                      | description                | code  | status    | used in |
|---------------------------|----------------------------|-------|-----------|---------|
| <a href="#">Door bell</a> | Electronic doorbell, black | DB-HI | available | GRMS    |

## Access control

| name  | description  | code       | status    | used in      |
|---|--|------------|-----------|--------------|
| <a href="#">QR code reader</a>              | QR code and RFID card reader, black  | QR-FR-B    | available | access, GRMS |
| <a href="#">Micro card reader</a>           | Micro RFID card reader module  | CR-MR      | available | access, GRMS |
| <a href="#">Card reader</a>                 | RFID card reader, white  | CR-TR-W    | coming    | access, GRMS |
| <a href="#">Card reader</a>                 | RFID card reader, black  | CR-TR-B    | coming    | access, GRMS |
| <a href="#">Card reader</a>                 | RFID card reader, silver   | CR-TR-S    | coming    | access, GRMS |
| <a href="#">Card reader</a>                 | RFID card reader, ivory  | CR-TR-I    | coming    | access, GRMS |
| <a href="#">Glass card reader</a>           | RFID card reader, black  | CR-HR-B    | coming    | access, GRMS |
| <a href="#">Glass card reader</a>           | RFID card reader, white  | CR-HR-W    | coming    | access, GRMS |
| <a href="#">Card holder</a>                 | RFID card holder, white  | CH-TR-W    | coming    | GRMS         |
| <a href="#">Touch keypad</a>                | Touch keypad and RFID card reader, black   | TK-FR-B    | request   | access, GRMS |
| <a href="#">Card holder</a>                 | RFID card holder, black  | CH-TR-B    | coming    | GRMS         |
| <a href="#">Rugged keypad</a>               | Rugged keypad and RFID card reader, silver   | RK-FR-S    | request   | access, GRMS |
| <a href="#">Card holder</a>                 | RFID card holder, silver   | CH-TR-S    | coming    | GRMS         |
| <a href="#">Card holder</a>                 | RFID card holder, ivory  | CH-TR-I    | coming    | GRMS         |
| <a href="#">USB Card reader</a>             | External USB RFID card reader  | CR-USB     | request   | access, GRMS |
| <a href="#">Card holder</a>                 | RFID card holder, black  | CH-HR-B    | coming    | GRMS         |
| <a href="#">Card holder</a>                 | RFID card holder, white  | CH-HR-W    | coming    | GRMS         |
| <a href="#">Mortise lock</a>                | EN Electromechanical Lock  | EL-ML      | request   | access, GRMS |
| <a href="#">Electric strike</a>             | Electric strike, 24 VDC  | EL-ST      | request   | access, GRMS |
| <a href="#">Magnetic lock</a>               | Magnetic lock, 280 kg  | EL-M3      | request   | access, GRMS |
| <a href="#">Wireless connection</a>         | Wireless power supply and control for locks  | EL-PW      | request   | access, GRMS |
| <a href="#">RFID card</a>                   | RFID card  | CD-R       | request   | access, GRMS |
| <a href="#">Number plate reading camera</a> | ANPR Camera with Wiegand interface for direct connection to Access control systems | RB-ANPR-IQ |           | access       |

## Enocean

| name                             | description                                       | code     | status    | used in |
|----------------------------------|---|----------|-----------|---------|
| <a href="#">Smart plug</a>       | Enocean wireless smart plug, Schuko               | SC0-WE-F | available | -       |
| <a href="#">Smart plug</a>       | Enocean wireless smart plug , Type E              | SC0-WE-E | request   |         |
| <a href="#">Smart plug</a>       | Enocean wireless smart plug with metering, Schuko | SCM-WE-F | available | HEMS    |
| <a href="#">Smart plug</a>       | Enocean wireless smart plug with metering, Type E | SCM-WE-E | request   |         |
| <a href="#">Micro smart plug</a> | Enocean wireless micro smart plug, Schuco         | SMM-WE-F | available | HEMS    |
| <a href="#">Micro smart plug</a> | Enocean wireless micro smart plug, Type E         | SMM-WE-E | request   |         |
| <a href="#">Soft remote</a>      | Enocean wireless soft remote, cozy white          | PB-WE-R1 | request   | -       |

| name  | description                                      | code      | status  | used in |
|---|--|-----------|---------|---------|
| <a href="#">Soft remote</a>                     | Enocean wireless soft remote, tech blue          | PB-WE-R2  | request |         |
| <a href="#">Soft remote</a>                     | Enocean wireless soft remote, cozy gray          | PB-WE-R3  | request |         |
| <a href="#">Soft remote</a>                     | Enocean wireless soft remote, wasabi             | PB-WE-R4  | request |         |
| <a href="#">Soft remote</a>                     | Enocean wireless soft remote, soft-berry         | PB-WE-R5  | request |         |
| <a href="#">Soft remote</a>                     | Enocean wireless soft remote, blue lagoon        | PB-WE-R6  | request |         |
| <a href="#">Wall switch</a>                     | Enocean wireless wall switch                     | PB-WE-W1  | request | -       |
| <a href="#">Key-card holder</a>                 | Enocean wireless key-card holder, white          | CH-WE-W1  | request | -       |
| <a href="#">Opening sensor</a>                  | Enocean wireless opening sensor, white           | OS-WE-W1  | request | -       |
| <a href="#">Temperature sensor</a>              | Enocean wireless temperature sensoren            | TS-WE-W1  | request | HEMS    |
| <a href="#">Temperature and humidity sensor</a> | Enocean wireless temperature and humidity sensor | TSH-WE-W1 | request | HEMS    |
| <a href="#">Relay Switch</a>                    | Enocean wireless relay switch, 1 channel         | RS1-WE-F1 | request | HEMS    |
| <a href="#">Relay Switch</a>                    | Enocean wireless relay switch, 2 channels        | RS2-WE-F2 | request | HEMS    |
| <a href="#">Blinds controller</a>               | Enocean wireless blinds controller               | BC-WE-F1  | request | -       |
| <a href="#">Motion sensor</a>                   | Enocean wireless motion sensor, white            | MS-WE-W1  | request | -       |
| <a href="#">Soft Button</a>                     | Enocean wireless soft button                     | PB-WE-B1  | coming  | -       |

## ZigBee

| name   | description                    | code     | status | used in |
|--|--------------------------------|----------|--------|---------|
| <a href="#">Wireless gateway</a>                           | RS485/modbus to ZigBee gateway | GW-WN-W  | EOL    | HEMS    |
| <a href="#">Wireless bridge</a>                            | ZigBee to RS485/modbus bridge  | BR-WN-W  | EOL    | HEMS    |
| <a href="#">Wireless DIN rail power sensor</a>             | single phase, DIN rail         | PM1-WN-D | EOL    | HEMS    |
| <a href="#">Wireless on wall power sensor</a>              | single phase, on wall          | PM1-WN-W | EOL    | HEMS    |
| <a href="#">Wireless relay</a>                             | single relay                   | RL1-WN-W | EOL    | HEMS    |
| <a href="#">Wireless smart plug</a>                        | ON/OFF, metering, Schuko       | SC1-WN-F | EOL    | HEMS    |
| <a href="#">Wireless temperature &amp; humidity sensor</a> | single temperature, white      | TSH-WN-W | EOL    | HEMS    |
| <a href="#">Wireless sensor module</a>                     | 2 NTC, 2 digital input         | TDI-WN-W | EOL    | HEMS    |

## Power sensors

| name  | description                                     | code       | status    | used in    |
|---|---|------------|-----------|------------|
| <a href="#">Single phase power-sensor</a>     | 1-phase power sensor, DIN rail                  | PM1-E-D    | available | HEMS, Home |
| <a href="#">Single phase power-sensor, CT</a> | 1-phase power sensor, DIN rail, CT              | PM1-E-D-CT | available | HEMS, Home |
| <a href="#">Three phase power-sensor</a>      | 3-phase power sensor, DIN rail                  | PM3-I-D    | available | HEMS, Home |
| <a href="#">Three phase power sensor</a>      | 3-phase power sensor, DIN rail                  | PM3-E-D    | available | HEMS, Home |
| <a href="#">Three phase power sensor, CT</a>  | 3-phase power sensor, DIN rail, CT              | PM3-E-D-CT | available | HEMS, Home |
| <a href="#">1-ph current transformer</a>      | 1-phase split core current transformer, 50A     | CT-1-E-50  | available | HEMS, Home |
| <a href="#">3-ph current transformer</a>      | 3-phase split core current transformer, 50-400A | CT-3-E-XX  | available | HEMS, Home |

## Battery Monitoring System

| name  | description                                     | code       | status    | used in    |
|---|---|------------|-----------|------------|
| <a href="#">Single phase power-sensor, CT</a> | 1-phase power sensor, DIN rail, CT              | PM1-E-D-CT | available | HEMS, Home |
| <a href="#">Three phase power-sensor</a>      | 3-phase power sensor, DIN rail                  | PM3-I-D    | available | HEMS, Home |
| <a href="#">Three phase power sensor, CT</a>  | 3-phase power sensor, DIN rail, CT              | PM3-E-D-CT | available | HEMS, Home |
| <a href="#">1-ph current transformer</a>      | 1-phase split core current transformer, 50A     | CT-1-E-50  | available | HEMS, Home |
| <a href="#">3-ph current transformer</a>      | 3-phase split core current transformer, 50-400A | CT-3-E-XX  | available | HEMS, Home |
| <a href="#">Three phase power sensor</a>      | 3-phase power sensor, DIN rail                  | PM3-E-D    | available | HEMS, Home |
| <a href="#">Single phase power-sensor</a>     | 1-phase power sensor, DIN rail                  | PM1-E-D    | available | HEMS, Home |

## Accessories

| name                                      | description  | code           | status    | used in            |
|---|--|----------------|-----------|--------------------|
| <a href="#">Power supply</a>              | 24 V DC / 3.8 A power supply                       | PS-IQ          | available | access, GRMS, Home |
| <a href="#">Power supply</a>              | 12 V DC / 2.1 A power supply                       | PS-12-30-IQ    | available | access, GRMS       |
| <a href="#">Power supply</a>              | 12 V DC / 4.5 A power supply                       | PS-12-60-IQ    | available | GRMS               |
| <a href="#">Remote controller</a>         | flat IR remote controller                          | RE-2-IQ        | available | Home               |
| <a href="#">Buttons</a>                   | 2 mini buttons (for mounting on terminals)         | CAD-2-BUT-IQ   | available | GRMS, Home         |
| <a href="#">Push button illumination</a>  | white LED illumination (for SC)                    | CAD-SW-LED-IQ  | available | GRMS, Home         |
| <a href="#">Serial converter</a>          | RS232 to RS485 serial converter                    | CAD-232-A2-IQ  | available | access, GRMS, Home |
| <a href="#">Bus extender</a>              | connection between RJ9 and cable, surge protection | CAD-BE-PROT-IQ | available | access, GRMS, Home |
| <a href="#">Bus cable</a>                 | 2.5 cm RJ9 to RJ9 bus cable                        | CAD-P0-IQ      | available | GRMS, Home         |
| <a href="#">Bus cable</a>                 | 2 m RJ9 to RJ9 bus cable                           | CAD-P2-IQ      | available | GRMS, Home         |
| <a href="#">Motion sensor</a>             | Indoor PIR motion sensor                           | IR-580-IQ      | available | GRMS, Home         |
| <a href="#">Temperature sensor</a>        | 2m wire  | ES-P-IQ        | available | GRMS, Home         |
| <a href="#">Temperature sensor</a>        | Aluminum housing IP 67, 5m wire                    | ES-A-IQ        | EOL       | GRMS, Home         |
| <a href="#">Temperature sensor</a>        | Steel tube housing IP 67, 5m wire                  | ES-B-IQ        | available | HEMS, GRMS, Home   |
| <a href="#">Temperature sensor</a>        | white housing, terminals                           | ES-W-OW-WHITE  | available | HEMS, GRMS, Home   |
| <a href="#">Temperature sensor</a>        | ivory housing, terminals                           | ES-W-OW-IVORY  | available | HEMS, GRMS, Home   |
| <a href="#">Single phase power-sensor</a> | 1-phase power sensor, DIN rail                     | PM1-E-D        | available | RDX                |
| <a href="#">Three phase power sensor</a>  | 3-phase power sensor, DIN rail                     | PM3-E-D        | available | RDX                |
| <a href="#">Lightness sensor</a>          | indoor lightness sensor                            | RHKF-U-IQ      | request   | Home               |
| <a href="#">Light driver</a>              | universal 230 VAC light driver                     | LUD12-IQ       | request   | GRMS, Home         |
| <a href="#">LED stripe</a>                | warm white, 24 VDC, 9 W/m                          | LS-24-WW       | request   | GRMS, Home         |

| name  | description                                     | code           | status    | used in            |
|---|---|----------------|-----------|--------------------|
| <a href="#">LED stripe</a>                                      | RGB+WW, 24VDC, 9 W/m                            | LS-24-RGBWW    | request   | GRMS, Home         |
| <a href="#">LED power supply</a>                                | 24 VDC, 100W                                    | LP-24-100      | request   | GRMS, Home         |
| <a href="#">LED power supply</a>                                | 24 VDC, 240W                                    | LP-24-240      | request   | GRMS, Home         |
| <a href="#">LED power supply</a>                                | 24 VDC, 480W                                    | LP-24-480      | request   | GRMS, Home         |
| <a href="#">LED power supply</a>                                | 24 VDC, 600W                                    | LP-24-600      | request   | GRMS, Home         |
| <a href="#">LED power supply</a>                                | 24 VDC, 100W, dimmable                          | LP-24-100-D    | request   | GRMS, Home         |
| <a href="#">LED power supply</a>                                | 24 VDC, 240W, dimmable                          | LP-24-240-D    | request   | GRMS, Home         |
| <a href="#">LED power supply</a>                                | 24 VDC, 480W, dimmable                          | LP-24-480-D    | request   | GRMS, Home         |
| <a href="#">LED power supply</a>                                | 24 VDC, 600W, dimmable                          | LP-24-600-D    | request   | GRMS, Home         |
| <a href="#">Power relay</a>                                     | 230 VAC, 2 × NO 20A                             | IK20-20-230    | request   | GRMS, Home         |
| <a href="#">Power relay</a>                                     | 230 VAC, 4 × NO 25A                             | IK25-40-230    | request   | GRMS, Home         |
| <a href="#">Opening sensor</a>                                  | Magnetic door / window opening sensor           | MOS-01         | request   | access, GRMS, Home |
| <a href="#">Opening sensor</a>                                  | Magnetic door / window opening sensor           | MOS-02         | request   | access, GRMS, Home |
| <a href="#">Temperature and Humidity Sensor</a>                 | Temperature and Humidity Sensor                 | RB-100-TH      | available | HEMS, Home         |
| <a href="#">Wireless Modbus-to-Modbus bridge</a>                | Wireless Modbus-to-Modbus bridge                | WM-1           | available | HEMS, Home         |
| <a href="#">Wireless Modbus-to-Modbus bridge</a>                | Wireless Modbus-to-Modbus bridge                | WM-1           | available | RDX                |
| <a href="#">Power supply</a>                                    | 24 V DC / 1.5 A power supply                    | PSM-30-24      | available | access, GRMS, Home |
| <a href="#">TVOC, Temperature and Humidity Sensor</a>           | TVOC, Temperature and Humidity Sensor           | RB-100-TVOC-TH | coming    |                    |
| <a href="#">Wireless Modbus Relay</a>                           | Wireless Modbus Relay                           | WR-1           | available | HEMS, Home         |
| <a href="#">Wireless Modbus Relay</a>                           | Wireless Modbus Relay                           | WR-1           | available | RDX                |
| <a href="#">Wireless external single-phase power sensor kit</a> | Wireless external single-phase Power sensor kit | WPM1-E-D       | available | RDX                |
| <a href="#">Wireless external three-phase power sensor kit</a>  | Wireless external three-phase Power sensor kit  | WPM3-E-D       | available | RDX                |
| <a href="#">RDX Charger Protective Roof</a>                     | Protective roof for RDX Charger                 | RDX-PR         | available | RDX                |
| <a href="#">RDX Charger Freestanding set</a>                    | Freestanding set for RDX Charger                | RDX-FS         | available | RDX                |

## Promotion / Demonstration

| name                                  | description                          | code           | status  | used in |
|---------------------------------------|--------------------------------------|----------------|---------|---------|
| <a href="#">Demo suitcase</a>         | mobile demonstration set             | HIQ-MOB-ST-KIT | request | Home    |
| <a href="#">Demo suitcase and set</a> | mobile demonstration set + start set | HIQ-MOB-EX-KIT | request | Home    |
| <a href="#">Demo wall</a>             | "Window to future" multimedia set    | HIQ-WALL-KIT   | request | Home    |

## TEM

| name                             | description                       | code   | status  | used in    |
|----------------------------------|-----------------------------------|--------|---------|------------|
| <a href="#">Decorative frame</a> | - elox silver line plastic for 3M | OL30ES | request | HEMS, Home |

| <b>name</b>                      | <b>description</b>                     | <b>code</b> | <b>status</b> | <b>used in</b> |
|----------------------------------|--|-------------|---------------|----------------|
| <a href="#">Decorative frame</a> | - elox silver line plastic for 4M      | OL40ES      | request       | HEMS, Home     |
| <a href="#">Decorative frame</a> | - elox silver soft plastic for 3M      | OS30ES      | request       | HEMS, Home     |
| <a href="#">Decorative frame</a> | - elox silver soft plastic for 4M      | OS40ES      | request       | HEMS, Home     |
| <a href="#">Decorative frame</a> | - black soft plastic for 3M            | OS30SB      | request       | HEMS, Home     |
| <a href="#">Decorative frame</a> | - black soft plastic for 4M            | OS40SB      | request       | HEMS, Home     |
| <a href="#">Decorative frame</a> | - hammered steel metal for 3M          | OP30MH      | request       | HEMS, Home     |
| <a href="#">Decorative frame</a> | - hammered steel metal for 4M          | OP40MH      | request       | HEMS, Home     |
| <a href="#">Decorative frame</a> | - satin silver metal for 3M            | OP30MS      | request       | HEMS, Home     |
| <a href="#">Decorative frame</a> | - satin silver metal for 4M            | OP40MS      | request       | HEMS, Home     |
| <a href="#">Decorative frame</a> | - bamboo wood for 3M                   | OP30WB      | request       | HEMS, Home     |
| <a href="#">Decorative frame</a> | - bamboo wood for 4M                   | OP40WB      | request       | HEMS, Home     |
| <a href="#">Decorative frame</a> | - maple wood for 3M                    | OP30WM      | request       | HEMS, Home     |
| <a href="#">Decorative frame</a> | - maple wood for 4M                    | OP40WM      | request       | HEMS, Home     |
| <a href="#">Decorative frame</a> | - wenge wood for 3M                    | OP30WE      | request       | HEMS, Home     |
| <a href="#">Decorative frame</a> | - wenge wood for 4M                    | OP40WE      | request       | HEMS, Home     |
| <a href="#">Decorative frame</a> | - ice white glass for 3M               | OP30GW      | request       | HEMS, Home     |
| <a href="#">Decorative frame</a> | - ice white glass for 4M               | OP40GW      | request       | HEMS, Home     |
| <a href="#">Decorative frame</a> | - ice grey glass for 3M                | OP30GY      | request       | HEMS, Home     |
| <a href="#">Decorative frame</a> | - ice grey glass for 4M                | OP40GY      | request       | HEMS, Home     |
| <a href="#">Push button</a>      | - 1way, polar white                    | SM11PW      | request       | HEMS, Home     |
| <a href="#">Push button</a>      | - 1way, soft touch black               | SM11SB      | request       | HEMS, Home     |
| <a href="#">Push button</a>      | - 1way, elox silver                    | SM11ES      | request       | HEMS, Home     |
| <a href="#">Push button</a>      | - 1way, indicator, polar white         | SM11PWIN    | request       | HEMS, Home     |
| <a href="#">Push button</a>      | - 1way, indicator, soft touch black    | SM11SBIN    | request       | HEMS, Home     |
| <a href="#">Push button</a>      | - 1way, indicator, elox silver         | SM11ESIN    | request       | HEMS, Home     |
| <a href="#">Push button</a>      | - shutters, polar white                | SM41PWNT10  | request       | HEMS, Home     |
| <a href="#">Push button</a>      | - shutters, soft touch black           | SM41SBNT10  | request       | HEMS, Home     |
| <a href="#">Push button</a>      | - shutters, elox silver                | SM41ESNT10  | request       | HEMS, Home     |
| <a href="#">Fixing frame</a>     | - size 3M                              | NM30        | request       | HEMS, Home     |
| <a href="#">Fixing frame</a>     | - size 4M                              | NM40        | request       | HEMS, Home     |
| <a href="#">Flush box</a>        | - for brick, size 3M, depth 65mm       | DM31        | request       | HEMS, Home     |
| <a href="#">Flush box</a>        | - for brick, size 4M, depth 65mm       | DM41        | request       | HEMS, Home     |
| <a href="#">Flush box</a>        | - for hollow wall, size 3M, depth 49mm | HM30        | request       | HEMS, Home     |
| <a href="#">Flush box</a>        | - for hollow wall, size 4M, depth 49mm | HM40        | request       | HEMS, Home     |
| <a href="#">Flush box</a>        | - for concrete, size 3M, depth 60mm    | BM30        | request       | HEMS, Home     |
| <a href="#">Flush box</a>        | - for concrete, size 4M, depth 60mm    | BM40        | request       | HEMS, Home     |

## Touch panels

| <b>name</b>                     | <b>description</b>                                     | <b>code</b>  | <b>status</b> | <b>used in</b> |
|---------------------------------|--|--------------|---------------|----------------|
| <a href="#">Touch panel</a>     | myHIQ 8.9' touch panel                                 | TP-9A-IQ     | available     | GRMS, Home     |
| <a href="#">Touch panel</a>     | myHIQ 7' touch panel                                   | TP-7A-IQ     | available     | GRMS, Home     |
| <a href="#">Touch HMI panel</a> | 4 inch touch HMI panel 86 mm box, UK dose; black frame | TGP-4A-01-IQ |               | Home           |

| name                            | description                                       | code         | status | used in |
|---------------------------------|---|--------------|--------|---------|
| <a href="#">Touch HMI panel</a> | 4 inch touch HMI panel, for DIN dose; black frame | TGP-4D-01-IQ |        | Home    |
| <a href="#">Touch HMI panel</a> | 7 inch touch HMI panel 86 mm box black frame      | TGP-7A-01-IQ |        | Home    |

From:  
<http://wiki.hiq-universe.com/> -

Permanent link:  
[http://wiki.hiq-universe.com/doku.php?id=en:hiq\\_hw:hiq-hw&rev=1630400933](http://wiki.hiq-universe.com/doku.php?id=en:hiq_hw:hiq-hw&rev=1630400933)

Last update: **2021/08/31 09:08**

