



Power relay

	Rated current	Control voltage	Order code
 <p>The image shows a 2-pole Iskra IKA20-20 power relay. It is a vertical, rectangular device with a white top section and a grey bottom section. The top section has two screw terminals labeled '1' and '3' with 'A1' between them. The bottom section has two screw terminals labeled '2' and '4' with 'A2' between them. The front panel features the Iskra logo, the model number 'IKA20-20', and the rated current 'I_n: 20A'. A green LED indicator is visible at the bottom. Technical specifications '230V AC' and '50/60 Hz' are also present.</p>	2P, 20 A	230 VAC	IK20-20-230
 <p>The image shows a 4-pole Iskra IKA20-20 power relay. It is a vertical, rectangular device with a white top section and a grey bottom section. The top section has two screw terminals labeled '1' and '3' with 'A1' between them. The bottom section has two screw terminals labeled '2' and '4' with 'A2' between them. The front panel features the Iskra logo, the model number 'IKA20-20', and the rated current 'I_n: 20A'. A green LED indicator is visible at the bottom. Technical specifications '230V AC' and '50/60 Hz' are also present.</p>	4P, 25 A	230 VAC	IK25-40-230

From:

<https://wiki.hiq-universe.com/> -

Permanent link:

https://wiki.hiq-universe.com/doku.php?id=en:hiq_hw:pr&rev=1566300376

Last update: **2019/08/20 11:26**

