

- HIQ wiki
 - HIQ Home
 - Introduction
 - Controlled devices
 - Overview
 - Advanced features
 - Technology
 - Hardware
 - Applications
 - Commander
 - Custom app
 - Configurator
 - Manual Detect
 - Manual Address
 - myHIQ
 - Pralines
 - EnOcean
 - IR blaster
 - Universe
 - Methods & Resources
 - Designing
 - Wiring
 - Commissioning
 - Firmware update
 - Firmware compatibility
 - Customization
 - Custom functionality
 - Marketing
 - FAQ
 - Download
 - HIQ Hotel
 - GRMS
 - GRMS examples
 - Software
 - Hardware
 - HIQ Office
 - Access-iQ
 - Hardware
 - Applications
 - Configurator
 - Resources
 - Lighting-iQ
 - Use-cases
 - Living room
 - Staircase
 - Transitional spaces
 - Bathroom
 - Outdoor
 - Offices
 - Corporate
 - Meeting room

- [HEMS](#)
 - [Introduction](#)
 - [Hardware](#)
 - [Software](#)
 - [Methods and resources](#)
 - [Safety instructions](#)
 - [Wiring](#)
 - [Commissioning](#)
 - [Manufacture](#)
 - [Universe](#)
 - [Marketing](#)
 - [Download](#)
- [HEMS v1.2.0](#)
 - [Introduction](#)
 - [Hardware](#)
 - [Wiring](#)
 - [Safety instructions](#)
 - [Software](#)
 - [Commissioning](#)
 - [Safety instructions](#)
 - [Universe](#)
 - [Universe - Service provider](#)
 - [Marketing](#)
 - [Download](#)
 - [Firmware update](#)
- [RDX Charger](#)
 - [Introduction](#)
 - [Safety instructions](#)
 - [Hardware](#)
 - [Mounting](#)
 - [Wiring](#)
 - [Software](#)
 - [Commissioning](#)
 - [Power Sensor](#)
 - [Power Plant](#)
 - [Wireless WR1 & WM1](#)
 - [Heat Pump](#)
 - [Universe](#)
 - [Download](#)
 - [Firmware update](#)
- [eStore](#)
- [GOFLEX HEMS](#)
 - [Introduction](#)
 - [Hardware](#)
 - [Software](#)
 - [Methods and resources](#)
 - [Wiring](#)
 - [Commissioning](#)
 - [Universe](#)
 - [API](#)
 - [Alarms and notifications](#)

- Marketing
- Download
- HEMS Nedo Idrija
 - Introduction
 - Hardware
 - Universe
 - Download
- S Gate SG3-M1
 - Typical installations
 - Configurator
 - Count limit status
 - Disinfectant status
 - Temperature scanner status
 - Code reader status
 - Confirmation status
 - Entry status
- HIQ S Gate
 - Configuration manual
 - User manual
 - Function
 - LED Display
 - Graphical Display
 - Configuration
 - TOF sensor setup
 - HW
 - Central control unit
 - QR code and RFID card reader
 - TOF sensor
 - Face scanner
- HIQ Universe
- BMS
 - Introduction
 - Buildings
 - Apartment Complexes
 - Introduction
 - Hardware
 - Applications
 - Universe
 - Methods & Resources
 - Marketing
 - FAQ
 - Office
 - Introduction
 - Hardware
 - Applications
 - Universe
 - Methods & Resources
 - Marketing
 - FAQ
 - Restaurant & Bar
 - Introduction

- Hardware
- Applications
- Universe
- Methods & Resources
- Marketing
- FAQ
- HIQ Shopping
 - Introduction
 - Hardware
 - Applications
 - Universe
 - Methods & Resources
 - Marketing
 - FAQ
- HIQ School
 - Introduction
 - Hardware
 - Applications
 - Universe
 - Methods & Resources
 - Marketing
 - FAQ
- HIQ Auditorium
 - Introduction
 - Hardware
 - Applications
 - Universe
 - Methods & Resources
 - Marketing
 - FAQ
- HIQ Factory
 - Introduction
 - Hardware
 - Applications
 - Universe
 - Methods & Resources
 - Marketing
 - FAQ
- HIQ Warehouse
 - Introduction
 - Hardware
 - Applications
 - Universe
 - Methods & Resources
 - Marketing
 - FAQ
- HIQ Hardware
 - HEMS set 1P
 - HEMS set 3P
 - HIQ Home set
 - Master Controller

- Master Controller
- Master Controller
- HIQ controller
- IOT-L2-2
- IOT-L2-W
- Light Controller
- LED stripe dimmer
- Light dimmers driver
- DALI dimmer
- Blinds controller
- Blinds controller
- Scene panel
- Touch scene panel
- Scene controller
- Touch thermostat
- Electronic thermostat
- Blind thermostat
- Room panel
- Fan-coil controller
- GRMS IO expansion
- GRMS IX expansion
- Home linker
- Azure linker
- Touch thermostat
- Key-card holder
- Touch buttons
- In-room info panel
- Room info panel
- Door bell
- Card reader interface
- Card reader
- USB Card reader
- RFID Card
- Mifare lock
- Management software
- Smart plug
- Metering smart plug
- Micro smart plug
- Relay switch
- Blinds controller
- Soft remote
- Soft button
- Wall switch
- Key-card holder
- Opening sensor
- Temperature sensor
- Temperature and humidity sensor
- Motion sensor
- Wireless gateway
- Wireless bridge
- Wireless DIN rail power sensor

- Wireless on wall power sensor
 - Wireless relay
 - Wireless smart plug
 - Wireless temperature and humidity sensor
 - Wireless sensor module
 - Wireless Modbus-to-Modbus bridge
 - Wireless Modbus Relay
 - Power supply
 - Power supply
 - Power supply
 - Remote controller
 - Buttons
 - Pushbuttons illumination
 - Power meter converter
 - Bus extender
 - Bus cable
 - Motion sensor
 - Temperature sensor
 - Single phase power-sensor
 - Single phase power-sensor
 - Three phase power-sensor
 - Three phase power-sensor
 - Three phase power-sensor
 - Current transformer
 - Lightness sensor
 - Light dimmer driver
 - LED stripe
 - LED power supply
 - Power relay
 - Opening sensor
 - GSM stand-alone
 - GSM modem
 - Temperature probe
 - FST200-201A
 - PIR sensor
 - PIR sensor
 - 2ch IR blaster
 - 8ch IR blaster
 - Push-button module
 - Demo Suitcase
 - Demo Suitcase and set
 - Demo wall
 - Decorative frame
 - Push-button
 - Fixing frame
 - Flush box
 - TP-9A-IQ
 - TP-9B-IQ
 - TP-7A-IQ
 - TP-10A-IQ
- Contact

- HIQ Software Tools *
- Partners area
 - Price List
 - HIQ Home
 - HIQ GRMS
 - HIQ HEMS
 - Internal documents
- Internal
 - Specifications
 - HIQ Hardware
 - Sections
 - HIQ Systems
 - Discount Classes
 - Statuses
 - Suppliers
 - Miscellaneous
 - Work Logs
- MS wiki
 - HIQ Lighting
 - Hardware
 - Software
- Digital Services

From:

<https://wiki.hiq-universe.com/> -



Permanent link:

<https://wiki.hiq-universe.com/doku.php?id=en:menu&rev=1674647916>

Last update: **2023/01/25 11:58**