

- [HIQ wiki](#)
 - [HIQ Home](#)
 - [Introduction](#)
 - [Controlled devices](#)
 - [Overview](#)
 - [Advanced features](#)
 - [Technology](#)
 - [Hardware](#)
 - [Applications](#)
 - [Commander](#)
 - [Custom app](#)
 - [Configurator](#)
 - [Manual Detect](#)
 - [Manual Address](#)
 - [myHIQ](#)
 - [Pralines](#)
 - [EnOcean](#)
 - [IR blaster](#)
 - [Universe](#)
 - [Methods & Resources](#)
 - [Designing](#)
 - [Wiring](#)
 - [Commissioning](#)
 - [Firmware update](#)
 - [Firmware compatibility](#)
 - [Customization](#)
 - [Custom functionality](#)
 - [Marketing](#)
 - [FAQ](#)
 - [Download](#)
 - [HIQ Hotel](#)
 - [GRMS](#)
 - [GRMS examples](#)
 - [Software](#)
 - [Hardware](#)
 - [HIQ Office](#)
 - [Access-iQ](#)
 - [Hardware](#)
 - [Applications](#)
 - [Configurator](#)
 - [Resources](#)
 - [Lighting-iQ](#)
 - [Use-cases](#)
 - [Living room](#)
 - [Staircase](#)
 - [Transitional spaces](#)
 - [Bathroom](#)
 - [Outdoor](#)
 - [Offices](#)
 - [Corporate](#)
 - [Meeting room](#)

- HEMS
 - Introduction
 - Hardware
 - Software
 - Methods and resources
 - Safety instructions
 - Wiring
 - Commissioning
 - Manufacture
 - Universe
 - Marketing
 - Download
- HEMS v1.2.0
 - Introduction
 - Hardware
 - Wiring
 - Safety instructions
 - Software
 - Commissioning
 - Safety instructions
 - Universe
 - Universe - Service provider
 - Marketing
 - Download
 - Firmware update
- RDX Charger
 - Introduction
 - Safety instructions
 - Hardware
 - RDX Charger
 - IOT-L2-2
 - IOT-L2-W
 - Mounting
 - Wiring
 - Software
 - Commissioning
 - Power Sensor
 - Power Plant
 - Wireless WR1 & WM1
 - Heat Pump
 - Universe
 - Download
 - Firmware update
- eStore
- GOFLEX HEMS
 - Introduction
 - Hardware
 - Software
 - Methods and resources
 - Wiring
 - Commissioning

- Universe
 - API
 - Alarms and notifications
- Marketing
- Download
- HEMS Nedo Idrija
 - Introduction
 - Hardware
 - Universe
 - Download
- S Gate SG3-M1
 - Typical installations
 - Configurator
 - Count limit status
 - Disinfectant status
 - Temperature scanner status
 - Code reader status
 - Confirmation status
 - Entry status
- HIQ S Gate
 - Configuration manual
 - User manual
 - Function
 - LED Display
 - Graphical Display
 - Configuration
 - TOF sensor setup
 - HW
 - Central control unit
 - QR code and RFID card reader
 - TOF sensor
 - Face scanner
- HIQ Universe
- BMS
 - Introduction
 - Buildings
 - Apartment Complexes
 - Introduction
 - Hardware
 - Applications
 - Universe
 - Methods & Resources
 - Marketing
 - FAQ
 - Office
 - Introduction
 - Hardware
 - Applications
 - Universe
 - Methods & Resources
 - Marketing

- FAQ
- Restaurant & Bar
 - Introduction
 - Hardware
 - Applications
 - Universe
 - Methods & Resources
 - Marketing
 - FAQ
- HIQ Shopping
 - Introduction
 - Hardware
 - Applications
 - Universe
 - Methods & Resources
 - Marketing
 - FAQ
- HIQ School
 - Introduction
 - Hardware
 - Applications
 - Universe
 - Methods & Resources
 - Marketing
 - FAQ
- HIQ Auditorium
 - Introduction
 - Hardware
 - Applications
 - Universe
 - Methods & Resources
 - Marketing
 - FAQ
- HIQ Factory
 - Introduction
 - Hardware
 - Applications
 - Universe
 - Methods & Resources
 - Marketing
 - FAQ
- HIQ Warehouse
 - Introduction
 - Hardware
 - Applications
 - Universe
 - Methods & Resources
 - Marketing
 - FAQ
- HIQ Hardware
 - HEMS set 1P

- HEMS set 3P
- HIQ Home set
- Master Controller
- Master Controller
- Master Controller
- HIQ controller
- IOT-L2-2
- IOT-L2-W
- Light Controller
- LED stripe dimmer
- Light dimmers driver
- DALI dimmer
- Blinds controller
- Blinds controller
- Scene panel
- Touch scene panel
- Scene controller
- Touch thermostat
- Electronic thermostat
- Blind thermostat
- Room panel
- Fan-coil controller
- GRMS IO expansion
- GRMS IX expansion
- Home linker
- Azure linker
- Touch thermostat
- Key-card holder
- Touch buttons
- In-room info panel
- Room info panel
- Door bell
- Card reader interface
- Card reader
- USB Card reader
- RFID Card
- Mifare lock
- Management software
- Smart plug
- Metering smart plug
- Micro smart plug
- Relay switch
- Blinds controller
- Soft remote
- Soft button
- Wall switch
- Key-card holder
- Opening sensor
- Temperature sensor
- Temperature and humidity sensor
- Motion sensor

- [Wireless gateway](#)
- [Wireless bridge](#)
- [Wireless DIN rail power sensor](#)
- [Wireless on wall power sensor](#)
- [Wireless relay](#)
- [Wireless smart plug](#)
- [Wireless temperature and humidity sensor](#)
- [Wireless sensor module](#)
- [Wireless Modbus-to-Modbus bridge](#)
- [Wireless Modbus Relay](#)
- [Power supply](#)
- [Power supply](#)
- [Power supply](#)
- [Remote controller](#)
- [Buttons](#)
- [Pushbuttons illumination](#)
- [Power meter converter](#)
- [Bus extender](#)
- [Bus cable](#)
- [Motion sensor](#)
- [Temperature sensor](#)
- [Single phase power-sensor](#)
- [Single phase power-sensor](#)
- [Three phase power-sensor](#)
- [Three phase power-sensor](#)
- [Three phase power-sensor](#)
- [Current transformer](#)
- [Lightness sensor](#)
- [Light dimmer driver](#)
- [LED stripe](#)
- [LED power supply](#)
- [Power relay](#)
- [Opening sensor](#)
- [GSM stand-alone](#)
- [GSM modem](#)
- [Temperature probe](#)
- [FST200-201A](#)
- [PIR sensor](#)
- [PIR sensor](#)
- [2ch IR blaster](#)
- [8ch IR blaster](#)
- [Push-button module](#)
- [Demo Suitcase](#)
- [Demo Suitcase and set](#)
- [Demo wall](#)
- [Decorative frame](#)
- [Push-button](#)
- [Fixing frame](#)
- [Flush box](#)
- [TP-9A-IQ](#)
- [TP-9B-IQ](#)

- TP-7A-IQ
- TP-10A-IQ
- Contact
- HIQ Software Tools *
- Partners area
 - Price List
 - HIQ Home
 - HIQ GRMS
 - HIQ HEMS
 - Internal documents
- Internal
 - Specifications
 - HIQ Hardware
 - Sections
 - HIQ Systems
 - Discount Classes
 - Statuses
 - Suppliers
 - Miscellaneous
 - Work Logs
- MS wiki
 - HIQ Lighting
 - Hardware
 - Software
- Digital Services

From:
<http://wiki.hiq-universe.com/> -

Permanent link:
<http://wiki.hiq-universe.com/doku.php?id=en:menu&rev=1675090842>

Last update: **2023/01/30 15:00**

