

Touch thermostat

Touch electronic thermostat w. Modulating valve External sensor ModBus



| | |
|---------------|-------------------|
| Model number: | TH-MME |
| Mounting: | In-wall flush box |
| Dimensions: | 86×86×40 mm |

Applications

- room / zone thermostat

Features

- cooling/heating
- fan options:
 - 3 speed
 - hand/auto
 - weekly
- modulating valve control 0-10 V
- Modbus
- External temperature sensor


General description

Can be used for any heating and/or cooling system including fan-coils, hot water or electrical radiators, ceiling fans, floor/ceiling heating/cooling, split AC. TH series provide maximum comfort and energy-saving functionality. Set-points are selectable on the unit or through other devices. Advanced functionality including smart-phone operation, internet operation, scheduling, HIQ automation, automatic weather response, and more are provided when connected to HIQ Home Controller and HIQ universe.


Technical specification

| | |
|--------------------------|--------------------------|
| Temperature measurement: | NTC3950,10K |
| Power supply: | 95-240V,50/60Hz |
| Ingress protection: | IP20 |
| Operating temperature: | 0..45°C |
| Storage temperature: | -20..75°C |
| Relative humidity: | 0..95% n/c |
| Installation box: | EU 60Round box Or 86 Box |

Dimensions



Terminals



From:

<http://wiki.hiq-universe.com/> -

Permanent link:

http://wiki.hiq-universe.com/doku.php?id=en:ms_main:th-mm&rev=1683784552

Last update: **2023/05/11 05:55**

